

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1. (Previously Presented) A patient data information system, comprising:  
a display unit;  
a first application configured to display patient images for a patient on the display unit and generate patient context data for the patient;  
a second application in data communication with the first application;  
and  
a workstation coupled to the display unit and configured to operate both the first application and the second application that reside on the workstation, the first application configured to send the patient context data to the second application and the second application configured to receive the patient context data and to display patient data on the display unit based on the patient context data.
2. (Original) The patient data information system of claim 1, wherein the first application is configured to retrieve patient image data from a picture archival and communication system (PACS).
3. (Original) The patient data information system of claim 2, wherein the second application is configured to retrieve patient textual data from a radiology information system (RIS), wherein the patient data includes the patient textual data.
4. (Original) The patient data information system of claim 1, wherein the display unit includes a monitor having a resolution of at least 90 dpi.

5. (Original) The patient data information system of claim 1, wherein the second application is selected from the group consisting of a case signout application, a report entry application, an order detailing application, and an order viewer application.

6. (Original) The patient data information system of claim 1, further comprising a second workstation coupled to the workstation, the second workstation configured to operate the second application.

7. (Original) The patient data information system of claim 1, wherein the second application is coupled to the first application via an object request broker.

8. (Original) The patient data information system of claim 7, further comprising a bridge coupled between the second application and the object request broker, wherein the second application communicates via the component object model (COM).

9. (Previously Presented) The patient data information system of claim 1, further comprising an input unit, the first application generating the patient context data in response to user input at the input unit.

10. (Original) The patient data information system of claim 9, wherein the input unit is selected from the group consisting of a mouse, a voice recognition system, a keystroke, a switch, and a light pen.

11. (Previously Presented) The patient data information system of claim 1, wherein the patient context data includes patient identification data.

12. (Previously Presented) The patient data information system of claim 11, wherein the patient context data includes user identification data.

13. (Original) The patient data information system of claim 1, wherein the patient data includes patient examination information.

14. (Previously Presented) A method of integrating patient data from first and second applications residing on a single workstation, comprising:

displaying patient images retrieved from an image database using the first application on the workstation;

generating patient context data for a patient using the first application;

sending the patient context data from the first application to the second application on the workstation;

retrieving a set of patient data based on the patient context data using the second application; and

displaying the set of patient data using the second application on the workstation.

15. (Canceled)

16. (Currently Amended) The method of claim ~~15~~14, further comprising retrieving the set of patient data from a radiology information system.

17. (Previously Presented) The method of claim 14, wherein the patient context data includes patient identification data.

18. (Previously Presented) The method of claim 14, wherein the step of sending includes generating an event based on the patient context data and providing the event to the second application.

19. (Original) The method of claim 18, further comprising converting the event from a first object model to a second object model and providing the converted event to the second application.

20. (Original) The method of claim 14, wherein the second application is selected from the group consisting of a case signout application, a report entry application, an order detailing application, and an order viewing application.

21. (Previously Presented) The method of claim 14, further comprising receiving an operator input from an input unit and generating the patient context data for the patient in response to the operator input.

22. (Previously Presented) The method of claim 14, wherein the set of patient data includes patient examination information.

23. (Previously Presented) An apparatus for integrating patient data from first and second applications residing on a single workstation, comprising:

a means for displaying patient images retrieved from an image database using the first application on the workstation;

a means for generating patient context data for a patient using the first application;

a means for sending the patient context data from the first application to the second application on the workstation;

a means for retrieving a set of patient data based on the patient context data using the second application; and

a means for displaying the set of patient data using the second application on the workstation.

24. (Canceled)

25. (Currently Amended) The apparatus of claim ~~24~~23, further comprising a means for retrieving the set of patient data from a radiology information system.

26. (Previously Presented) The apparatus of claim 23, wherein the patient context data includes the means for identifying a patient.

27. (Previously Presented) The apparatus of claim 23, wherein the means for sending includes a means for generating an event based on the patient context data and providing the event to the second application.

28. (Previously Presented) The apparatus of claim 27, further comprising a means for converting the event from first object model to a second object model and a means for providing the converted event to the second application.

29. (Previously Presented) The apparatus of claim 23, wherein the second application is selected from the group consisting of a case signout application, a report entry application, an order detailing operation, and an order viewer application.

30. (Previously Presented) The apparatus of claim 23, further comprising a means for receiving an operator input and generating patient context data for the patient in response to the operator input.

31. (Previously Presented) The apparatus of claim 23, wherein the set of patient data includes a means for providing patient examination information.

32. (Previously Presented) A patient data information workstation, comprising:

a display;

a first application configured to retrieve and display patient images for a patient on the display and configured to generate patient context data associated with the patient; and

a second application in data communication with the first application, the second application configured to receive the patient context data sent from the first application and to retrieve and display patient textual data for the patient on the display based on the patient context data.

33. (Previously Presented) A patient data information workstation according to claim 32, wherein the first application is configured to retrieve patient image data for a picture archival and communication system (PACS).

34. (Previously Presented) A patient data information workstation according to claim 33, wherein the second application is configured to retrieve patient textual data from a radiology information system (RIS).

35. (Previously Presented) A patient data information workstation according to claim 32, further including a third application in data communication with the first application, the third application configured to receive the patient context data sent from the first application and to retrieve and display patient data for the patient based on the patient context data.